




# EUROPE BUS MODELS

*ALWAYS ON YOUR WAY*



# Xiamen King Long United Automotive Industry Co.,Ltd.

---

Established in 1988, Xiamen King Long United Automotive Industry Co., Ltd. (hereinafter referred to as “King Long” ) engages in bus and coach design, manufacturing and sales; King Long has an independent R&D center, marketing center and three manufacturing bases. R&D center is a state-certified technological research and development center with more than 600 design engineers. There are three manufacturing bases—Middle and Large Bus & Coach Manufacturing Base in Xiamen, Mini Van Manufacturing Base in Xiamen and Public Bus Manufacturing Bases in Shaoxing. King Long has a total annual production capacity of 50,000 buses with 20,000 middle and large buses ranging from 6m to 18m and 30,000 mini vans below 6m.

King Long models include long-distance transportation bus, inter-city bus, city bus, tourism coach, shuttle bus of enterprises and institutions, and other special vehicles such as airport shuttle bus, ambulance, blood collecting vehicle, police vehicle, and school bus and so on. Since 2000, King Long has

also developed CNG bus, hybrid bus, pure electricity bus and new energy bus etc.

Through 23 years' efforts since 1988, King Long has sold over 200,000 buses and coaches, and ranks the first among the Chinese bus manufacturers. In addition to product provision for more than 6,000 transportation companies and self-employed entrepreneurs in mainland China, King Long has exported buses to more than 100 countries and regions worldwide including Britain, France, Germany, Italy, Sweden, Malta and other EU countries.

In 2013, King Long (excluding its subsidiaries) sold 32824 buses of various types, with a sales turnover exceeding RMB 9.081 billion, including an overseas sales turnover of over RMB 2.1 billion.

# A TOP GRADE AND BRAND NEW DEVELOPED COACH XMQ6140Y



## APPEARANCE



As a top grade new developed luxury coach for the European market, XMQ6140 is based on King Long' s famous K07 series bus. The vehicle passed the WVTA certification and operated in various European countries. It' s equipped with full VDO CAN BUS system, TPMS tire pressure management system, 440 Hp engines, automatic transmission, roof heating A/C those high level specifications. It' s well accepted for its excellent performance among operators, drivers and passengers.



Headlight modeling is stylish and fashionable.



Up round and down square, a perfect harmony elegance and strength, matched with taillight, which makes the whole bus eye catching.



Spacious baggage compartment is easy for baggage placement.



The baggage compartment is specially designed with a driver room for sleeping, with visual window and airconditioning.



# INTERIOR

Humanized design, large amount of integral molding parts are adopted to be both practical and elegant, which enhances the comfort of the driving space and bring appreciative and cozy traveling experience.



Adjustable high-back chairs which coincide with the body curve provide high quality and comfortable to your journey.



Each seat is equipped with normal and USB stockers, which provide great convenience to the passengers during the journey.



Integral design of reading lamps, air conditioner outlets, trim with human-oriented and considerate concept.




The TV and DVD entertainment system make the journey full of fun.



Luggage rack tilting design preventing luggage from falling down and night lamp for night operation which is human-oriented.


# DRIVING AREA

Deluxe dashboard with compact layout is functional and artistic. Vibration isolating adjustable high backrest driver seat reduces driver's fatigue. All in one climate control cultivates comfort atmosphere.



# TECHNICAL SPECIFICATIONS

<b>MODEL</b>	<b>XMQ6140Y</b>
<b>DIRECTION</b>	<b>LHD/RHD</b>
<b>DIMENSIONS</b>	
Length* width* height (mm)	13990x2550x3900
Wheelbase (mm)	6670+1500
Front overhang/rear overhang (mm)	2720/3100
Minimum ground clearance (mm)	240
<b>CAPACITY</b>	
Seating arrangement	MAX 63+1+1
Fuel tank capacity (L)	450
<b>ENGINE</b>	
Brand	DAF
Model	MX11-320
Emission standard	Euro VI
Rated power (kw/rpm)	320/435
Rated torque (N.m/rpm)	2100/1100-1450
Displacement (L)	11
<b>TRANSMISSION &amp; CLUTCH</b>	
Transmission	ALLISON T750R
<b>AXLES</b>	
Front	ZF Front independent front axle (with suspension)
Rear	ZF Rear axle
Tag	ZF RL85E Tag Active
<b>SUSPENSION</b>	
Suspension system	ZF air suspension (with active steering)
<b>STEERING</b>	
Steering system	ZF 8098




<b>BRAKE SYSTEM</b>	
Brake mechanism	Full disc brake
Tyre	MICHELIN tubeless tire
Brake system	WABCO EBS
<b>BODY</b>	
<b>DOOR &amp; WINDOW</b>	
Front door	Aluminum out-swing door with remote control
Middle door	Aluminum out-swing single door
Side windows	Fully sealed side windows, with privacy vacuum glasses
<b>SEATS</b>	
Driver	Adjustable damping suspension driver seat
Passenger	FAINSA Passengers seat
<b>AIR CONDITIONER</b>	
Type	KING LONG roof-mounted dependent A/C KING LONG front box
<b>HEATER</b>	
Type	SPHEROS heater with King Long front box
<b>MIRROR</b>	
Type	Electric rear view mirror with defroster
<b>OTHER STANDARD EQUIPMENTS</b>	
VDO CAN BUS system, VDO Digital tachograph with print & display, ECAS system, K-1 type integral baggage rack (no compartment door cover plate), single disc DVD with 17" fixed LCD and 15" two-sided power foldable LCD	

# BRAND-NEW TOURIST COACH EXTEND CLASSICS XMQ6129



## APPEARANCE



As a substitute of the classic touring coach, XMQ6129 inherits the grand and remarkable elements of XMQ6127 with optimized body design and better configuration for comfort. Perfect combination of “K” shape decoration with streamline embody elegance and dignity of XMQ6129.

ZF As Tronic with manual/automatic transmission provides more driving pleasure. EBS and ESP from WABCO ensure accurate and stable braking together with easy start and electric parking function enhance the safety along travelling. SPHEROS cooling/ heating air conditioner brings intimate and comfortable driving and riding experience. VDO CAN BUS system effectively integrates information for easier maintenance.


Integrating all the merits as a whole, XMQ6129 is the best choice for your journey.



Elegant broaden windshield with modernized headlights ensure a better viewing for safe driving.



Distinct top rounded design embraces the unique style of XMQ6129.



Larger capacity with through type compartment design provides easy accessibility to luggage.



Comfortable driver's bunk swipes away driver's fatigue from long distance travels.



# INTERIOR

Privacy glasses provides grand vision along the trip. Brilliant designs provide passengers with warm riding experience in every detail.



Adjustable high-back chairs which coincide with the body curve provide high quality and comfortable to your journey.



Each seat is equipped with normal and USB sockets, which provide great convenience to the passengers during the journey.



Integral design of reading lamps, air conditioner outlets, brim with human-oriented and considerate concept.



The TV and DVD entertainment system make the journey full of fun.



Luggage rack tilting design preventing luggage from falling down and night lamp for night operation which is human-oriented.


## DRIVING AREA

Deluxe dashboard with compact layout is functional and artistic. Vibration isolating adjustable high backrest driver seat reduces driver's fatigue. All in one climate control cultivates comfort atmosphere.



# TECHNICAL SPECIFICATIONS

MODEL		XMQ6129	
<b>DIMENSIONS</b>			
Length* width* height (mm)	12200x2550x3690		
Wheelbase (mm)	6000		
Front overhang/rear overhang (mm)	2720/3480		
Minimum ground clearance (mm)	200		
<b>CAPACITY</b>			
Seating arrangement	MAX 55+1+1		
Fuel tank capacity (L)	445		
<b>ENGINE</b>			
Brand	IVECO	CUMMINS	
Model	CURSOR 9 400cv	ISL8.9E6 400	
Emission standard	Euro VI	Euro VI	
Rated power (kw/rpm)	294/2200	294/2100	
Rated torque (N.m/rpm)	1700/1200(N.m/RPM)	1700/1300-1400	
Displacement (L)	9	8.9	
<b>TRANSMISSION &amp; CLUTCH</b>			
Transmission	ZF AsTronic 12AS2001BO	ZF ECOLIFE 1700	
Clutch	NO		
<b>RETARDER</b>			
Retarder	ZF incorporated intarder		
<b>AXLES</b>			
Front	ZF front independent axle		
Rear	ZF rear axle		
<b>SUSPENSION</b>			
Suspension system	ZF 6-airbag suspension		
ECAS	WABCO		
<b>STEERING</b>			
Steering system	ZF hydraulic power steering gear		



<b>BRAKE</b>	
Brake mechanism	WABCO EBS+ESP, Full disc brake
Tyre	MICHELIN tubeless tyre 295/80R22.5
<b>DOOR &amp; WINDOW</b>	
Doors	Aluminum remote control, front single out swing&middle single out swing
Side windows	Fully sealed side windows, with privacy vacuum glasses
<b>SEATS</b>	
Driver	Adjustable damping suspension driver seat, 3 pointsafety belt
Passenger	FAINSA seat
<b>AIR EQUIPMENT</b>	
Equipment	15" LCD Tv (Front), 15" foldble LCD Tv (Middle), Single DVD Color Reverse Monitor
<b>AIR CONDITIONER</b>	
Type	SPHEROS A/C roof mounted, dependent KING LONG aircondition with/without roof heating
<b>HEATER</b>	
Type	SPHEROS heater
<b>MIRROR</b>	
Type	Electric rear view mirror with defroster
<b>OTHER STANDARD EQUIPMENTS</b>	
VDO CAN BUS system, VDO Digital tachographer with print & display, ECAS system, K-1 type integral baggage rack (no compartment door cover plate), single disc DVD with 17" fixed LCD and 15"two-sided power foldable LCD	

# THE REPRESENTATIVE OF MEDIUM PASSENGER COACH XMQ6900/XMQ6996



## APPEARANCE




As the representative of medium passenger bus of King Long; XMQ6900/XMQ6996 sells well in Europe for many years; and its comfort and safety are highly recognized. The moon sign on the side body makes it more attracting. Luxury trimming is beautiful and comfortable. The whole bus is perfect in noise reducing process, and the bus is equipped with large torque low noise axle, which greatly reduces interior noises and makes your trip quiet.



Round face matched with large glass provides broad vision.



Fashion taillight shows its vitality.



Larger capacity with through type compartment design provides easy accessibility to luggage.



Broad vision rearview mirror, electric adjusting rearview angle, with night running reverse assisting light and defrost function.



## INTERIOR

Humanized design, large amount of integral molding parts are adopted to be both practical and elegant, which enhances the comfort of the driving space and bring appreciative and cozy traveling experience.



Magazine nets are equipped for little things and foot rest design increase comfort for the passengers.



Modesty panels ensure the safety for passengers.



Concealed air-conditioning outlet combined with illumination light makes warmth and comfort.



Luggage rack tilting design can prevent luggage from falling down, and with blue night lamp for night operation which is friendly for using.


## DRIVING AREA

Modern dash board and easy reach switches provide the convenient operation for driver. The luxury adjustable driver seat and ergonomic space design ensures the comfortable working environment is provided.



# TECHNICAL SPECIFICATIONS


<b>MODEL</b>	<b>XMQ6900</b>	
<b>DIRECTION</b>	<b>LHD/RHD</b>	
<b>DIMENSIONS</b>		
Length* width* height (mm)	8995×2480×3435/3335 (With A/C)	
Wheelbase (mm)	4300	
Front overhang/rear overhang (mm)	1905/2790	
Minimum ground clearance (mm)	230	
<b>CAPACITY</b>		
Seating arrangement	33 to 35 seats, 31+1+1 with WC	
Fuel tank capacity (L)	200	
<b>ENGINE</b>		
Brand	CUMMINS	CUMMINS
Model	ISB6.7E6 310	ISB6.7E6 280
Emission standard	EuroVI	EuroVI
Rated power (kw/rpm)	230/2300	210/2300
Rated torque (N.m/rpm)	1100/1200	1020/1200
Displacement (L)	6.7	6.7
<b>TRANSMISSION &amp; CLUTCH</b>		
Transmission	6AS1200B(AT)	ZF6S1010BO(MT) 6-gear manual
Clutch	NO	SACHS
<b>AXLES</b>		
Front	DONG FENG DANA front axle	
Rear	DONG FENG DANA rear axle	
<b>SUSPENSION</b>		
Suspension system	6-air bag suspension	
<b>STEERING</b>		
Steering system	ZF 8095	



<b>BRAKE SYSTEM</b>	
Brake mechanism	Full disc brake
Tyre	MICHELIN 275/70 R22.5 XZE2+
Brake system	WABCO EBS/ESC
<b>BODY</b>	
<b>DOOR &amp; WINDOW</b>	
Front door	Aluminum out-swing door with remote control
Middle door	Aluminum out-swing door
Side windows	Fully sealed side windows, with privacy vacuum glasses
<b>SEATS</b>	
Driver	Adjustable damping suspension driver seat
Passenger	FAINSA Passengers seat
<b>AIR CONDITIONER</b>	
Type	KING LONG roof-mounted dependent A/C KING LONG front box
<b>HEATER</b>	
Type	SPHEROS heater with independent defroster
<b>MIRROR</b>	
Type	Electric rear view mirror with deforster
<b>OTHER STANDARD EQUIPMENTS</b>	
VDO CAN BUS system, VDO digital tachograph with print & display function, ECAS system, luxurious internal luggage rack (H-1 type) on both sides, single disc DVD system with 2 15" LCD	

# TECHNICAL SPECIFICATIONS

<b>MODEL</b>	<b>XMQ6996</b>	
<b>DIRECTION</b>	<b>LHD/RHD</b>	
<b>DIMENSIONS</b>		
Length* width* height (mm)	9995x2480x3435/3335 (With A/C)	
Wheelbase (mm)	5300	
Front overhang/rear overhang (mm)	1905/2790	
Minimum ground clearance (mm)	230	
<b>CAPACITY</b>		
Seating arrangement	33 to 39 seats, 37+1+1+WC	
Fuel tank capacity (L)	200	
<b>ENGINE</b>		
Brand	CUMMINS	
Model	ISB6.7E6 310	
Emission standard	EURO VI	
Rated power (kw/rpm)	230/2300	
Rated torque (N.m/rpm)	1100/1200	
Displacement (L)	6.7	
<b>TRANSMISSION &amp; CLUTCH</b>		
Transmission	ZF 6S1010BO	ZF ECOLIFE 1200
	6-gear manual	
Clutch	SACHS	
<b>AXLES</b>		
Front	Independent front axle	
Rear	DONG FENG DANA rear axle	
<b>SUSPENSION</b>		
Suspension system	6-air bag suspension	
<b>STEERING</b>		
Steering system	ZF 8095	



## BRAKE SYSTEM

Brake mechanism	Full disc brake
Tyre	MICHELIN 275/70 R22.5 XZE2+
Brake system	WABCO EBS/ESC

## BODY

### DOOR & WINDOW

Front door	Aluminum out-swing door with remote control
Middle door	Aluminum out-swing door
Side windows	Fully sealed side windows, with privacy vacuum glasses

## SEATS

Driver	Adjustable damping suspension driver seat
Passenger	FAINSA Passengers seat

## AIR CONDITIONER

Type	KING LONG roof-mounted dependent A/C
	KING LONG front box

## HEATER

Type	SPHEROS heater
------	----------------

## MIRROR

Type	Electric rear view mirror with deforster
------	--

## OTHER STANDARD EQUIPMENTS

VDO CAN BUS system, VDO digital tachographer with print & display function, ECAS system, luxurious internal luggage rack (H-1 type) on both sides, single disc DVD system with 2 15" LCD

# CLASSICAL WORK OF 11/12/13M INTERCITY BUS XMQ6110C/XMQ6120C/XMQ6130C



## APPEARANCE




Intercity bus XMQ6110C/XMQ6120C/XMQ6130C is a new type independently developed by King Long. Booming satellite city tourism, outer suburban tourism bring brand new opportunities for passenger traffic enterprises. XMQ6110C/XMQ6120C/XMQ6130C comes at this proper moment to overcome suburban passenger traffic overload limit, improves travelling comfort and increases boarding/alighting efficiency. Front and middle passenger door, luggage rack and coach seats are all tailor-made for intercity bus. The layout of seats not only meets requirements of suburban traveling but fits for group use. Cummins engine in compliance with European environmental protection regulation standard provides you with clean and environment-friendly power of leading industry. Excellent performance cost ratio and superb power support provide operators with maximum benefit. The superb performance cost ratio is bound to create lucrative operation enterprises.



Headlight modeling is stylish and fashionable.



Up round and down square, a perfect harmony elegance and strength, matched with taillight, which makes the whole bus eye catching.



High-capacity luggage compartment makes luggage placement easier.



Unique double swinging middle door effectively improves passenger flow rate. Wheelchair lifting device provided as option.



# INTERIOR

XMQ6110C/XMQ6120C/6130C is equipped with seats and environment-friendly light which are in compliance with ergonomics. Tailor-made interior space aims at meeting requirements of suburban traffic. Seat handrails, luggage rack handrails and seat sliding slot are added to create a comfort and spacious riding environment. Every detail including brand new style of interior decoration, smart and convenient driver compartment display XMQ6110C/XMQ6120C/6130C' s delicate craftsmanship.



Brand new seats with fashionable appearance fit for suburban traffic and makes comfort riding.



Luggage rack in brand new style has a volume of 1.5m . High-capacity makes convenience.



Luggage rack in brand new style has a volume of 1.5m . High-capacity makes convenience.



Integral design of air conditioner outlets and reading lamps meet passengers' demand in every detail.



Blue night lamp for night operation which is human-oriented.


## Driving Area

Vibration adjustable driver seat reduces driver's fatigue.



# TECHNICAL SPECIFICATIONS


MODEL		XMQ6110C (Class II)	
DIRECTION			
DIMENSIONS			
Length* width* height (mm)	10700x2550x3300 (With A/C)		
Wheelbase (mm)	4800		
Front overhang/rear overhang (mm)	2700/3120		
Minimum ground clearance (mm)	260		
CAPACITY			
Seating arrangement	45+1+1		
Fuel tank capacity (L)	300		
ENGINE			
Brand	IVECO		
Model	CURSOR 9 360 CV		
Emission standard	Euro VI		
Rated power (kw/rpm)	265/2200		
Rated torque (N.m/rpm)	1650/1200		
Displacement (L)	9		
TRANSMISSION & CLUTCH			
Transmission	ZF 6S-1701 6-gear manual (with hydraulic retarder)	VOITH AT	
Clutch	SACHS	NO	
AXLES			
Front	FANG SHEN front indenpent axle		
Rear	FANG SHEN rear axle		
SUSPENSION			
Suspension system	6-air bag suspension		
STEERING			
Steering system	ZF 8098		



BRAKE SYSTEM	
Brake mechanism	Full disc brake
Tyre	MICHELIN 295/80R22.5
Brake system	WABCO EBS/ESC
BODY	
DOOR & WINDOW	
Front doors	Aluminum out-swing door with remote control
Middle doors	Aluminum out-swing single door    Aluminum out-swing double doors
Side windows	Sealed toughened glasses
SEATS	
Driver	Adjustable damping suspension driver seat
Passenger	FAINSA STEL passenger seat
AIR CONDITIONER	
Type	KING LONG roof-mounted dependent A/C
	KING LONG front box
HEATER	
Type	SPHEROS heater
MIRROR	
Type	Electric rear view mirror with defroster
OTHER STANDARD EQUIPMENTS	
VDO CAN BUS system (Digital tachographer with print & display), ECAS system, SUBURBAN luggage rack.	

# TECHNICAL SPECIFICATIONS


MODEL		XMQ6120C (Class II)(Class III)	
<b>DIRECTION</b>			
<b>DIMENSIONS</b>			
Length* width* height (mm)	12200×2550×3300 (With A/C)		
Wheelbase (mm)	6000		
Front overhang/rear overhang (mm)	2550/3400		
Minimum ground clearance (mm)	260		
<b>CAPACITY</b>			
Seating arrangement	55 seats		
Fuel tank capacity (L)	300		
<b>ENGINE</b>			
Brand	IVECO		
Model	CURSOR 9 360 CV		
Emission standard	Euro VI		
Rated power (kw/rpm)	265/2200		
Rated torque (N.m/rpm)	1650/1200		
Displacement (L)	9		
<b>TRANSMISSION &amp; CLUTCH</b>			
Transmission	ZF 6S-1701 6-gear manual (with hydraulic retarder)	VOITH AT	
Clutch	SACHS	NO	
<b>AXLES</b>			
Front	FANG SHEN front indenpent axle		
Rear	FANG SHEN rear axle		
<b>SUSPENSION</b>			
Suspension system	6-air bag suspension		
<b>STEERING</b>			
Steering system	ZF 8098		



BRAKE SYSTEM	
Brake mechanism	Full disc brake
Tyre	MICHELIN 295/80R22.5
Brake system	WABCO EBS/ESC
BODY	
DOOR & WINDOW	
Front doors	Aluminum out-swing door with remote control
Middle doors	Aluminum out-swing single door    Aluminum out-swing double doors
Side windows	Sealed toughened glasses
SEATS	
Driver	Adjustable damping suspension driver seat
Passenger	FAINSA STEL passenger seat
AIR CONDITIONER	
Type	KING LONG roof-mounted dependent A/C KING LONG front box
HEATER	
Type	SPHEROS heater
MIRROR	
Type	Electric rear view mirror with defroster
OTHER STANDARD EQUIPMENTS	
VDO CAN BUS system (Digital tachographer with print & display), ECAS system, SUBURBAN luggage rack.	

# TECHNICAL SPECIFICATIONS

MODEL	XMQ6130C
<b>DIMENSIONS</b>	
Length* width* height (mm)	12950x2550x3300
Wheelbase (mm)	6800
Front overhang/rear overhang (mm)	2700/3450
Minimum ground clearance (mm)	200
<b>CAPACITY</b>	
Seating arrangement	59+1
Fuel tank capacity (L)	350
<b>ENGINE</b>	
Brand	IVECO
Model	CURSOR 9 360 CV
Emission standard	Euro VI
Max. Output(Kw/rpm)	265/2200
Max.Torque(N.m/rpm)	1650/1200
Displacement (L)	9
<b>TRANSMISSION &amp; CLUTCH</b>	
Transmission	ZF 6S-1701 6-gear manual (with hydraulic retarder)
Clutch	SACHS v
<b>RETARDER</b>	
Retarder	ZF incorporated intarder
<b>AXLES</b>	
Front	FANG SHEN front indenpent axle
Rear	FANG SHEN rear axle
<b>SUSPENSION</b>	
Suspension system	6-air bag suspension
ECAS	WABCO
<b>STEERING</b>	
Steering system	ZF hydraulic power steering gear



<b>BRAKE</b>	
Brake system	Full disc brake
Tyre	MICHELIN tubeless tyre (295/80R22.5)/XZA2+
<b>DOOR &amp; WINDOW</b>	
Doors	Aluminum, remote control, front single out swing & middle double out swing doors
Side windows	Full sealed side windows, with privacy toughened glass
<b>SEATS</b>	
Driver	Chinese adjustable Damping Suspension Driver Seat, ISRI as option
Passenger	FAINSA STEL passenger seat
<b>AV EQUIPMENT</b>	
Equipment	ACTIA DVD
Monitoring system	Color reverse monitor, reverse radar
<b>AIR CONDITIONER</b>	
Type	A/C Roof mounted, dependent
<b>HEATER</b>	
Type	SPHEROS heater
<b>MIRROR</b>	
Type	Electric rear view mirror with defroster
<b>OTHER STANDARD EQUIPMENTS</b>	
VDO CAN BUS system, VDO digital tachographer with print & display, electrically elevated driver window with defroster, automatic fire extinguisher for engine compartment, step lamp, reading lamp, with wheel chair lift	

# SUPER-LARGE SPACE PRIORITY OF SUBURBAN TRAFFIC XMQ6120AGD



## APPEARANCE



As King Long mainly promoted new model, XMQ6120AGD is geared to European high-end market. Simple and smooth figure, reasonable interior layout, super-large through-type glass side window provide passengers with great visual experience. Three-door and low-floor structure, ZF air suspension system and WABCO's ECAS kneeling system improves not only travelling comfort and increases boarding/alighting convenience for passengers, but also improves efficiency of operation. The bus is equipped with BOSCH's hydraulic cooling system, which gives smart cooling management and improves reliability in operation. Euro VI engine, automatic transmission, mature chassis technology provide the bus with higher sufficient power and reliability. Integral body structure largely increases the strength of the whole bus, and makes the bus have lower fuel consumption and operation cost while ensuring safety.



Natural transition between front/side wall and head cover with small round corner, brimming with tenderness and simplicity.



Popular European elements, with a perfect combination of aesthetics and practicality.



Low floor and rear door behind rear wheels improve boarding/alighting efficiency.




# INTERIOR

Super-large through-type glass side window provides better viewing effect. Perfect combination of front/rear molded top, air duct and reasonable arrangement of seats offer elegant and spacious interior space.



Imported seats certified by German safety authority. The comfortable material has a good permeability and high durability.



Compact layout of computer modules gives easy maintenance.



German Spheros' integral air-conditioning system, intelligent temperature control.



Reasonable arrangement of handrails and bases provide passengers with full protection and free movement. Handrails are made of high quality steel, which not only ensures sufficient hardness but leaves no trace after being touched.




LED Interior destination plate with stop alert function.



Side placement of engine makes it possible to adopt low floor design and offer quick boarding & alighting experience.


## DRIVING AREA

Luxury instrument panel. Compact layout makes everything in hand. Reasonable arrangement of driver compartment, fashionable and practical design gives the driver pleasure and easy operation.



# TECHNICAL SPECIFICATIONS

MODEL		XMQ6120AGD
DIMENSIONS		
Length (mm)		12000
Width (mm)		2550
Height (mm)		3200
Wheelbase (mm)		5850
Internal height (mm)		2480
Minimum ground clearance (mm)		160
CAPACITY		
Seating arrangement		28+3+1
Fuel tank capacity (L)		258L
Batteries (V/Ah)		12X2/200
Weight		
Maximum total mass (kg)		18000
KERB WEIGHT (kg)		12000
ENGINE		
Brand		Cummins
Model		ISB6.7E6 280B
Emission standard		EURO VI
Rated power (kw/rpm)		209/2100
Rated torque (N.m/rpm)		1100/1200
Displacement (L)		6.7
TRANSMISSION & CLUTCH		
Brand /type		Automatic transmission
STEERING		
Brand		ZF
Type		Hydraulic power steering
BRAKES SYSTEM		
Type		Full disc brake,WABCO ABS/ASR



CHASSIS	
Type	XMQ6120GR
AXLES	
Front	ZF independent front axle
Rear	ZF AV132/90 low door-type axle
SUSPENSION	
Type	6-airbags air suspension
ECAS	WABCO
TYRES	
Type	MICHELIN tubeless tyre
Size	275/70R22.5
WINDOW & DOOR	
Doors	Double-wing pneumatic inward-swinging front and middle doors /double-wing pneumatic outward-swinging rear door.
Side windows	Fully sealed side windows, with privacy vacuum glasses
SEATS	
Driver	Adjustable damping suspension driver seat
Passenger	FAINSA city bus seat
AIR CONDITIONER	
Type	
HEATER	
Type	SPHEROS independent water heater
OTHER STANDARD EQUIPMENTS	
CAN system, front rear side destination plate, cigarette lighter, double-speed driver fan, extinguisher, disabled ramp.	

# CLASSICAL WORK OF 12/13M CITY BUS XMQ6120BGD/XMQ6130BGD



## APPEARANCE



XMQ6120BGD is a new updated vehicle type based on King Long's most classical and popular city bus XMQ6127J. Its upright and foursquare shape well matches with smooth line, and the simple style is to the taste of European. The reasonable compact space goes with elegant interior trimming, emergency exit and specially designed seats for disabled; all of these build a comfortable and safe environment for passengers. The Vehicle is also able to be equipped with On-board vehicle management system as requested by the fleet operators. With low entry design which is stable and safe, the bus body features special "kneeling" function. The elaborated forging in every detail of the vehicle will certainly make a great coup in European market.



Headlight modeling is stylish and fashionable.



Upright and down square, a perfect harmony elegance and strength, matched with taillight, which makes the whole bus eye catching.



Convenient out-swing double middle door, wheelchair lifting device provided as option



Full view rear mirror



# INTERIOR

Humanized design, large amount of integral molding parts are adopted to be both practical and elegant, which enhances the comfort of the driving space and bring appreciative and cozy traveling experience.



Interior destination plate provides passenger with various information.



Soft backrest, able to secure wheel chair, anti-crash.



Molding aluminum interior roof and KING LONG roof-mounted dependent air conditioning system provides intelligent temperature control.




Fashionable in modeling, comfortable and safe passenger seats provide a nice trip.

## DRIVING AREA

The instrument panel and the driver terminal screen provide all the information driver need. The dash board designing with uniform distribution of buttons is within your reach. Large size front windscreen provides the board vision.




A/C outlets in driver area provides comfortable driver cabin.



Height-adjustable driver seat

# TECHNICAL SPECIFICATIONS

MODEL	XMQ6120BGD
<b>DIMENSIONS</b>	
Length* width* height (mm)	11980x2550x3170(With A/C)
Wheelbase (mm)	6150
Front overhang/rear overhang (mm)	2620/3290
Minimum ground clearance (mm)	160
<b>CAPACITY</b>	
Seating arrangement	39+3+1/39+1
Fuel tank capacity (L)	220
<b>ENGINE</b>	
Brand	CUMMINS
Model	ISB6.7E6 280B
Emission standard	Euro VI
Rated power (kw/rpm)	184/2100
Rated torque (N.m/rpm)	1000/1100
Displacement (L)	6.7
<b>TRANSMISSION &amp; CLUTCH</b>	
Transmission	ZF ECOLIFE AUTO
Clutch	None
<b>AXLES</b>	
Front	ZF front axle
Rear	ZF rear axle
<b>SUSPENSION</b>	
Suspension system	ZF 6-airbag air suspension
<b>STEERING</b>	
Steering system	ZF
<b>BRAKE SYSTEM</b>	
Brake mechanism	Front/rear disc
Tyre	MICHELIN tubeless tire
Brake system	WABCO EBS/ESC



<b>BODY</b>		
<b>DOOR &amp; WINDOW</b>		
Doors	Front single out-swing door	Middle double out-swing door
Side windows	Privacy toughened glasses	
<b>SEATS</b>		
Driver	Adjustable damping suspension driver seat	
Passenger	FAINSA city bus special seat	
<b>AIR CONDITIONER</b>		
Type	KING LONG roof-mounted dependent A/C	
<b>HEATER</b>		
Type	WEBASTO heater	
<b>MIRROR</b>		
Type	Rear view mirror with heating function	
<b>OTHER STANDARD EQUIPMENTS</b>		
VDO CAN BUS system, ECAS system, emergency exit door, reversing monitor, stop bell, front, rear, side destination plate, wheel chair ramp, internal information display board.		

# CLASSICAL WORK OF 8M/10M CITY BUS XMQ6800AGD/XMQ6100AGD



## APPEARANCE



In cooperation with Italy for design, the two-door public bus XMQ6800AGD with monocoque, the first 8-meter public bus model with low floor in China and also the first model with the adoption of the EuroVI emission standard, has the advanced technology applied to public transport which is a new public bus model with advanced configuration for the EU market.



## INTERIOR


With Italian idea in design, XMQ6800AGD are built in a brand-new manner and European style, which makes the vehicle more charming. With the traditional interior design and rational arrangement of seats, the vehicle achieves a maximized riding space that builds a comfortable and pleasant sitting environment.



Fashionable seats create a comfortable sitting environment and a nice journey. Side placement of engine makes it possible to adopt low floor design and offer quick boarding & alighting experience.



Suspended strap handles, at a proper height, ensure more safety for standing passengers.



Stop bells in 9 places of the whole vehicle maximize the satisfaction of passenger needs at any moment.


## DRIVING AREA

DWP integrated instrument panel with complete functions makes convenient operation.



# TECHNICAL SPECIFICATIONS

MODEL	XMQ6800AGD
<b>DIMENSIONS</b>	
Length* width* height (mm)	7990x2470x3100
Wheelbase (mm)	3620
Front overhang/rear overhang (mm)	1435/2400
Minimum ground clearance (mm)	160
<b>CAPACITY</b>	
Seating arrangement	12+2+1
Fuel tank capacity (L)	190
<b>ENGINE</b>	
Brand	CUMMINS
Model	ISB6.7E6 250B
Emission standard	Euro VI
Rated power (kw/rpm)	185/2100
Rated torque (N.m/rpm)	1000/1100
Displacement (L)	6.7
<b>TRANSMISSION &amp; CLUTCH</b>	
Transmission	ZF ECOLIFE
Clutch	None
<b>RETARDER</b>	
Retarder	ZF incorporated intarder
<b>AXLES</b>	
Front	Streparava front independent axle
Rear	ZF rear axle
<b>SUSPENSION</b>	
Suspension system	6-airbag suspension
ECAS	WABCO
<b>STEERING</b>	
Steering system	ZF hydraulic power steering gear
<b>BRAKE SYSTEM</b>	
Brake system	Full disc brake
Tyre	MICHELIN tubeless 255/70R22.5



<b>BODY</b>	
<b>DOOR &amp; WINDOW</b>	
Doors	Aluminum, remote control, front single swing & middle double swing & rear double swing doors
Side Windows	Sealed side windows with privacy vacuum glass and turn inward side windows
<b>SEATS</b>	
Driver	Adjustable damping suspension driver seat, 3 point safety belt
Passenger	Fainsa Metropolis 2.0/3.0
<b>AV EQUIPMENT</b>	
Equipment	MP3
Monitoring system	Reverse monitor
<b>AIR CONDITIONER</b>	
Type	SPHEROS A/C roof mounted, dependent
<b>HEATER</b>	
Type	Heating and independent defroster
<b>OTHER STANDARD EQUIPMENTS</b>	
Automatic fire extinguisher for engine compartment, stop bell, wheel chair area, internal information display board, front, rear, side destination plate	

[www.king-long.com](http://www.king-long.com)

**Xiamen King Long United Automotive Industry Co.,Ltd.**



Busbuilder of the Year 2010



TS16949:2009



Exempted from Export Inspection



VCA Certification



Russian GOST R Certification



Australian ADR Certification



GCC Certification



National Technology Center

Add: No.9 King Long Road, Jimei District, Xiamen, 361023, Fujian, P.R.China Tel: 0086 592 6370892 Fax: 0086 592 6370995 E-mail: [export@mail.king-long.com.cn](mailto:export@mail.king-long.com.cn)

Note: Actual products may vary slightly from the product images given in this brochure. Xiamen King Long reserves the right of final interpretation.