



# HUANGHAI BUS

조종암해상다리



纯电动 零排放  
环保率先行

纯电动公交车

黄海







# **GREEN ENERGY**




## **ECO-FRIENDLY & COST SAVING**

**HUANGHAI HAS A FULL PRODUCT LINE UP TO 18M WITH OVER 80 BASIC PLATFORMS OF LIGHT, MEDIUM AND LARGE NEW ENERGY PRODUCTS, COVERING VARIOUS MARKET SEGMENTS.**




## NEW ENERGY BUS




## CITY BUS



## COACH



## SCHOOL BUS




# New Energy Bus





General Data				
Vehicle Model	DD6109HEV	DD6129HEV	DD6109EV	DD6129EV
Dimension (L×W×H)(mm)	10490×2482×3320,3380,3510	12000×2532×3320,3380,3510	10500×2482×3220,3380,3520	12000×2532×3400
Wheel base (mm)	5000	6000	5000	6000
Seat Number	75/18-34,70/18-34	101/18-42,92/18-42	82/18-40,76/18-40	89/18-45,83/18-45
Max. Speed (km/h)	69			
Powertrain System				
Fuel Type	Diesel-electric/Gas-electric Hybrid		EV	
System Type	Parallel/Coaxial Hybrid Power		EV	
Battery Type	Lithium manganate, Lithium iron phosphate+super-capacitor		Ternary lithium battery, Lithium iron phosphate	Lithium titanate
Battery Capacity	16, 24.9, 25.5, 35.7		171, 217.6	70
Motor Type	PMSM/AC asynchronous motor		PMSM	
Motor Power (KW)	84, 85,100		150, 250.5	110
Rated Power (KW)	132,140,155,158	132,155,158,166	-	-
Emission Standard	Euro III/IV/V		-	-
Brakes & Safety Equipment				
Brake	Front disk brake,Rear drum brake			
Safety Equipment	ABS, Self-supporting body structure, Reversing camera, Fire proof, IP67 safety standard, Camera at rear door			

# City Bus



General Data	DD6109		DD6129		DD6141		DD6181	
Vehicle Model	DD6109		DD6129		DD6141		DD6181	
Dimension (L×W×H)(mm)	10490×2482×3100/3300	10490×2482×3220/3380/3510	12000×2532×3180/3300	12000×2532×3380/3510	13680×2532×3100/3300	13680×2532×3400	17980×2550×3060/3220	17980×2550×3400
Wheel base (mm)	5000		6000		6300+1400		6000+6200	5240+6635
Curb Weight (kg)	10600/11000	10400/10800	11000/11400	12800/13000	13500/13950	14550/15000	17100/17600	18500/19000
Seat Number	80/20-39,75/20-39	70/18-39,75/18-39	107/18-46,101/18-46	79/20-46,20-46	130/24-48,123/24-48	130/24-48,123/24-48	167/18-55,159/18-34	146/18-57,138/18-41
Max. Speed (km/h)					69			
Fuel/Tank Capacity (L)	200	5×70+2×50	200	800	250	11×90	260	9×120
Engine								
Rated Power (KW)	162-170	155-173	199	184	199	221,235	228	206-250
Emission Standard	Euro IV	Euro V	Euro IV	Euro V	Euro IV	Euro V	Euro IV	Euro V
Fuel Type	Diesel, CNG/LNG, Plug-in Hybrid, EV							
Brakes & Safety Equipment								
Brake	Front disk brake, Rear drum brake							
Safety Equipment	Low floor, Low entrance, ABS, Retarder, Self-supporting body structure, Reversing camera, Automatic engine fire extinguishing system, Camera at middle/rear door							

# Coach



General Data	
Vehicle Model	DD6129C70
Dimension (L×W×H)(mm)	11650×2550×3390 /3480(A/C)
Wheel base (mm)	5920
Curb Weight (kg)	11400/11770(A/C)
Seat Number	24-67,24-65
Max. Speed (km/h)	100
Fuel Capacity (L)	200
Engine	
Rated Power (KW)	206,220
Emission Standard	Euro IV
Brakes & Safety Equipment	
Brake	Front disk brake,Rear drum brake
Safety Equipment	ABS, Retarder, Self-supporting body structure, Reversing camera, Automatic engine fire extinguishing system



# Coach



General Data			
Vehicle Model	DD6128C01	DD6128C02/N	DD6128C03
Dimension (L×W×H)(mm)	11985×2500×3815		11985×2500×3828,3751
Wheel base (mm)	6000		
Curb Weight (kg)	13700		13100
Seat Number	24-53		
Max. Speed (km/h)	100		
Fuel Capacity (L)	400		
Engine			
Rated Power (KW)	250/247	228/243/247	228
Emission Standard	Euro IV/V		
Fuel Type	Diesel, CNG/LNG		
Brakes & Safety Equipment			
Brake	Dual-line, front disc, rear drum		
Safety Equipment	ABS, Retarder, Self-supporting body structure, Reversing camera, Automatic engine fire extinguishing system		



# School Bus



General Data					
Vehicle Model	DD6690	DD6760	DD6800	DD6930	DD6100
Dimension (L×W×H)(mm)	6880×2355×2955 6880×2355×3030(A/C)	7580×2355×2970 7580×2355×3030(A/C)	7995×2355/2455×2970 7995×2355/2455×3030(A/C)	9340×2455×3020 9340×2455×3080(A/C)	10200×2495×3130 10200×2495×3200(A/C)
Wheel base (mm)	3850	4050	4500	5300	5800
Curb Weight (kg)	5400/5600(A/C)	5750/5950(A/C)	6200/6450 (A/C) 6350/6600 (A/C)	7300/7600(A/C)	8400/8700/9000(A/C) 9000/9300(AC)
Seat Number	32,34	37	36,41	46,51	51,56
Max. Speed (km/h)			80		
Fuel Capacity (L)	120	150	150	200	220
Engine					
Rated Power (KW)	95	95,103,105	103	132	147,166
Emission Standard	Euro III/IV		Euro III/IV/V		Euro III/IV/V
Fuel Type	Diesel		Diesel,CNG/LNG		Diesel,CNG/LNG
Brakes & Safety Equipment					
Brake	Front disk brake,Rear drum brake				
Safety Equipment	Energy absorbing front structure, Safety door, Reversing camera, Automatic engine fire extinguishing system				

# City Feeder



General Data	
Vehicle Model	DD6720B01FN
Dimension (L×W×H)(mm)	7240×2355×2950/3150(A/C)
Wheel base (mm)	3800
Curb Weight (kg)	5700/5950(A/C)
Seat Number	50/15-23,46/15-23
Max. Speed (km/h)	69
Tank Capacity (L)	150(LNG)
Engine	
Rated Power (KW)	88,103
Emission Standard	Euro V
Fuel Type	LNG
Brakes & Safety Equipment	
Brake	Front disk brake,Rear drum brake
Safety Equipment	Energy absorbing front structure, Reversing camera, Automatic engine fire extinguishing system

General Data		
Vehicle Model	DD6761G	DD6821G
Dimension (L×W×H)(mm)	7640×2400×3130,3285	8200×2400×3250,3285
Wheel base (mm)	4800	5300
Curb Weight (kg)	6900,7200(A/C)	7250,7550(A/C)
Seat Number	65/13-25, 60/13-25	75/13-27, 70/13-27
Max. Speed (km/h)	69	
Engine		
Rated Power (KW)	118,125,132	120,125,132,150
Emission Standard	Euro IV/V	Euro IV/V/-
Fuel Type	Diesel/LNG	Diesel,LNG,EV
Brakes & Safety Equipment		
Brake	F/R disk brake	
Safety Equipment	ABS, Retarder, Self-supporting body structure, Reversing camera, Camera at rear door, Automatic engine fire extinguishing system	

**HUANGHAI**




**SG GROUP**  
**SINCE 1984**

OVER 60 YEARS, HUANGHAI, A HISTORY OF HARD WORKS

OVER 60 YEARS, HUANGHAI, A FLAGSHIP BRAND IN COMMERCIAL VEHICLE MANUFACTURING

OVER 60 YEARS IN HERITAGE AND EXPERIENCE

OVER 60 YEARS OF INNOVATION AND DEVELOPMENT





**Add: 50 Shuguang Road, Zhen'an District, Dandong City, Liaoning Province, China**  
**Tel : +86 ( 415 ) 226 3493      Email : Inter@sgautomotive.com      Web : www.autohuanghai.com**